

Work Order ID 91386 *11-3*

91386

Page 1

Item ID: D4410-7

Accept

N9000040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Conduit

Start Date: 10/05/12

Start Qty: 12.00

12

Cust Item ID:

Required Date: 10/12/12

Req'd Qty: 12.00

12

Customer:

Reference:

Approvals:

Process Plan: *MLJ*

Date: *12-10-05* Tooling:

Date:

Run Start *NR1*

QC:

Date:

SPC (Y/N):

Date:

Stop *NR2*

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

D4410

REV B

100

0.00

100

Small Fab

Memo

0.00

Small Fab

BEND AS PER DWG

DEBURR

110

QC5- Inspect part completeness to step on W/O

0.00

110

QC

Memo

0.00

Quality Control

120

Identify as per dwg & Stock Location: *W/4*

0.00

120

Packaging

Memo

0.00

Packaging

4 *FF*
12-11-14

DAS
15
12-11-14

4

(4) *12-11-14*

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____				DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>		AGAINST DEPARTMENT/PROCESS <div style="display: flex; justify-content: space-between;"> <div> Skid-tube <input type="checkbox"/> Machining <input type="checkbox"/> Thermoforming <input type="checkbox"/> Large Fab <input type="checkbox"/> </div> <div> Crosstube <input type="checkbox"/> Small Fab <input type="checkbox"/> Finishing <input type="checkbox"/> Composite <input type="checkbox"/> </div> <div> Water Jet <input type="checkbox"/> Prod. Eng. Coord. <input type="checkbox"/> Rec/Store/Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> </div> <div> Engineering <input type="checkbox"/> Quality <input type="checkbox"/> Other <input type="checkbox"/> </div> </div>					
Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector		
Doc/Data <input type="checkbox"/>											
Equip/Tooling <input type="checkbox"/>											
Operator <input type="checkbox"/>											
Material <input type="checkbox"/>											
Setup <input type="checkbox"/>											
Other <input type="checkbox"/>											
Process <input type="checkbox"/>											
Supplier <input type="checkbox"/>											
Training <input type="checkbox"/>											
Unapproved <input type="checkbox"/>											

FAULT CATEGORY			
Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube	General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio	<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions	<input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge <input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other

Work Order ID 91386

October-05-12 11:36:46 AM

91386

Page 2

Item ID: D4410-7

Accept

N9000040100Setup Start ***NS1***

Revision ID:

Item Name: Conduit

Stop ***NS2***

Start Date: 10/05/12

Start Qty: 12.00

12

Cust Item ID:

Required Date: 10/12/12

Req'd Qty: 12.00

12

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start ***NR1***

QC:

Date:

SPC (Y/N):

Date:

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

130

QC21- Final Inspection - Work Order Release

0.00

130

QC

Memo

0.00

Quality Control

12/11/15
MF
12-11-14

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____	DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>	AGAINST DEPARTMENT/PROCESS			
Part No. _____		Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>
NCR No. _____		Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coo. <input type="checkbox"/>	Quality <input type="checkbox"/>
		Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>
		Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>	

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data									
Equip/Tooling									
Operator									
Material									
Setup									
Other									
Process									
Supplier									
Training									
Unapproved									

FAULT CATEGORY

Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube	General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio	<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions	<input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge	<input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other
---	---	---	--	---

Picklist Print

October-05-12 11:36:46 AM

Page 1

Work Order ID: 91386

Parent Item: D4410-7

Parent Item Name: Conduit

Start Date: 10/05/12

Required Date: 10/12/12

Start Qty: 12.00

Required Qty: 12.00

Comments: IPP REV:A NEW ISSUE 11-11-02 JLM VERIFIED BY:DD
13 JFS VERIFIED BY:JLM

IPP REV:B AS PER PB6 12-08-

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M6061T6T0.625W.049 6061-T6 RD Tube .625 x.049W		Purchased	No				f	63.6252		21.473684			

FF 12-11-14

Location	Loc Qty	Loc Code
MAT014	20.244	
107967	5.16	
118390	15.084	
WA035	43.3812	
121170	43.3812	

25.0516

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube <input type="checkbox"/></td> <td>Crosstube <input type="checkbox"/></td> <td>Water Jet <input type="checkbox"/></td> <td>Engineering <input type="checkbox"/></td> </tr> <tr> <td>Machining <input type="checkbox"/></td> <td>Small Fab <input type="checkbox"/></td> <td>Prod. Eng. Coord. <input type="checkbox"/></td> <td>Quality <input type="checkbox"/></td> </tr> <tr> <td>Thermoforming <input type="checkbox"/></td> <td>Finishing <input type="checkbox"/></td> <td>Rec/Store/Packaging <input type="checkbox"/></td> <td>Other <input type="checkbox"/></td> </tr> <tr> <td>Large Fab <input type="checkbox"/></td> <td>Composite <input type="checkbox"/></td> <td>Supplier <input type="checkbox"/></td> <td></td> </tr> </table>	Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>	Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>	Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>	Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>	
Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>															
Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>															
Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>															
Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>																


Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data									
Equip/Tooling									
Operator									
Material									
Setup									
Other									
Process									
Supplier									
Training									
Unapproved									

FAULT CATEGORY


Landing Gear	General	Other
<input type="checkbox"/> Bending	<input type="checkbox"/> Bend	<input type="checkbox"/> Grain
<input type="checkbox"/> Centre Not Concentric to O/S	<input type="checkbox"/> BOM/Route	<input type="checkbox"/> Hardware
<input type="checkbox"/> Cracks	<input type="checkbox"/> Broken/Damaged	<input type="checkbox"/> Inspection Incomplete
<input type="checkbox"/> Crushed/Crimped	<input type="checkbox"/> Burrs	<input type="checkbox"/> Instructions Incomplete/Unclear
<input type="checkbox"/> Cuffs	<input type="checkbox"/> Contamination	<input type="checkbox"/> Maintenance
<input type="checkbox"/> Heat Treat	<input type="checkbox"/> Countersink	<input type="checkbox"/> Misabeled
<input type="checkbox"/> Inspection Strip in Tube	<input type="checkbox"/> Cut Too Short	<input type="checkbox"/> Misread
<input type="checkbox"/> Ripples in Bend	<input type="checkbox"/> Drill Holes	<input type="checkbox"/> Offset
<input type="checkbox"/> Torque Waves in Extrusion	<input type="checkbox"/> Drawing	<input type="checkbox"/> Out of Calibration
<input type="checkbox"/> Turning Sequence	<input type="checkbox"/> Finish	<input type="checkbox"/> Out of Sequence
<input type="checkbox"/> Wave/Twist in Tube	<input type="checkbox"/> Folio	<input type="checkbox"/> Outside Dimensions
		<input type="checkbox"/> Ovalized
		<input type="checkbox"/> Over/Under tolerance
		<input type="checkbox"/> Part Incorrect
		<input type="checkbox"/> Part Lost/Missing
		<input type="checkbox"/> Part Moved
		<input type="checkbox"/> Positioned Wrong
		<input type="checkbox"/> Power Loss/Surge
		<input type="checkbox"/> Pressure/Forced
		<input type="checkbox"/> Temperature/Cure
		<input type="checkbox"/> Weld
		<input type="checkbox"/> Wrong Stock Pulled
		<input type="checkbox"/> Other

ITEM NO.	QTY. -041	PART NUMBER	DESCRIPTION
1	X	D4410-041	CO-PILOT COLLECTIVE HEAD ASSEMBLY (205)
2	1	D4410-1	CO-PILOT COLLECTIVE HEAD
3	1	D4410-7	CONDUIT
4	1	D4410-11	205 SHIM
5	1	D4410-15	REAR COVER
6	4	90296A108	HELI-COIL INSERT (6-32 X 0.276)
7	1	MS171539	PIN

SHOP
 RETURN
 ENGINEERING
 UNCONTROLLED
 SUBJECT TO CHANGE
 WITHOUT NOTICE
 WORK ORDER
 NO. 91386 MJS
 12-10-05



D4410-041 CO-PILOT COLLECTIVE HEAD ASSEMBLY (205)



**D4410-041 WELDING DETAIL
(-041 SHOWN, -043/-045 SIMILAR)**

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II OR IIB CLASS 2 AFTER WELDING
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 1.55 lbs
- 8) WELD PER DART QSI 004
- 9) INSTALL AFTER ANODIZING
- 10) INSTALL AFTER ANODIZING WET WITH PROSEAL 890 OR EQUIVALENT. ENSURE THAT PROSEAL DOES NOT CONTACT PIN


B	ADD C-BORE, ZN A4-2 ENLARGE HOLES, ZN C5-3 & B8-3, UPDATE LOGO, ADD -043/-11/-13/-15, ROTATE HOLE, ZN C3-2 INCREASE 7/0 DIAMETER, ZN C1-6 REMOVE -9 FROM -041 ASSEMBLY, ZN C5-1	DC	12.07.30
A	NEW ISSUE	DC	11.06.06
REV	DESCRIPTION	BY	DATE
DESIGN	DC		
DRAWN	DC		
CHECKED	DC		
MFG APPR	DC		
APPROVED	DC		
DE APPR	DC		
DATE	12.07.30		

DART AEROSPACE USA, INC.
KENT, WA

DRAWING NO. D4410
 REV. B
 SHEET 1 OF 12
 TITLE CO-PILOT COLLECTIVE HEAD
 SCALE NTS

COPYRIGHT © 2011 BY DART AEROSPACE USA, INC.
 THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE USA, INC.

ITEM NO.	QTY. -043	PART NUMBER	DESCRIPTION
1	X	D4410-043	CO-PILOT COLLECTIVE HEAD ASSEMBLY (212)
2	1	D4410-1	CO-PILOT COLLECTIVE HEAD
3	1	D4410-7	CONDUIT
4	1	D4410-13	212 SHIM
5	1	D4410-15	REAR COVER
6	1	D4413-1	DOME PLUG
7	4	90296A108	HELI-COIL INSERT (6-32 X 0.276)
8	1	MS171599	PIN



NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II OR IIB CLASS 2 AFTER WELDING
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 1.55 lbs
- 8) WELD PER DART QSI 004
- 9) REAM TO Ø0.177 (DRILL #16)
- 10) INSTALL AFTER ANODIZING
- 11) INSTALL AFTER ANODIZING WET WITH PROSEAL 890 OR EQUIVALENT ENSURE THAT PROSEAL DOES NOT CONTACT PIN

D4410-043 CO-PILOT COLLECTIVE HEAD ASSEMBLY (212)


DESIGN	BC	DART AEROSPACE USA, INC.	
DRAWN	BC	KENT, WA	
CHECKED	BC	DRAWING NO.	REV. B
MFG. APPR.	BC	D4410	SHEET 2 OF 12
APPROVED	BC	TITLE	SCALE
DE APPR.	BC	CO-PILOT COLLECTIVE HEAD	NTS
DATE	12.07.30	<small>COPYRIGHT © 2011 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

91386

RELEASE

2012-09-28

ITEM NO.	QTY. -045	PART NUMBER	DESCRIPTION
1	X	D4410-045	CO-PILOT COLLECTIVE HEAD ASSEMBLY (EAGLE SINGLE)
2	1	D4410-1	CO-PILOT COLLECTIVE HEAD
3	1	D4410-7	CONDUIT
4	1	D4410-13	212 SHIM
5	1	D4410-15	REAR COVER
6	4	90296A108	HELI-COIL INSERT (6-32 X 0.276)
7	1	MS171599	PIN



NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II OR IIB CLASS 2 AFTER WELDING
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 1.55 lbs
- 8) WELD PER DART QSI 004
- 9) REAM TO Ø0.177 (DRILL #16)
- 10) INSTALL AFTER ANODIZING
- 11) INSTALL AFTER ANODIZING WET WITH PROSEAL 890 OR EQUIVALENT ENSURE THAT PROSEAL DOES NOT CONTACT PIN





**D4410-045 CO-PILOT COLLECTIVE HEAD ASSEMBLY
(EAGLE SINGLE)**

DESIGN	BC	DART AEROSPACE USA, INC.	
DRAWN	BC	KENT, WA	
CHECKED	BC	DRAWING NO.	REV. B
MFG APPR.	BC	D4410	SHEET 3 OF 12
APPROVED	BC	TITLE	SCALE
DE APPR.	BC	CO-PILOT COLLECTIVE HEAD	NTS
DATE	12.07.30	COPYRIGHT © 2011 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMBINED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

91386



RELEASE
11 2012-09-28
JMP



SECTION D-D
D2-4

NOTES:

1) MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160)
OR ASTM B211 OR ASTM B221
REF. DART SPEC. M6061T6B4.000X3.000

2) FINISH: NONE

3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED


4) UNITS: INCHES UNLESS OTHERWISE NOTED

5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX

6) IDENTIFICATION: IDENTIFY PER QSI 044.6.1

7) WEIGHT: 1.24 lbs


8) HOLE IS ROTATED 20° COUNTER-CLOCKWISE WHEN VIEWED FROM ABOVE




D4410-1 CO-PILOT COLLECTIVE HEAD

DESIGN	BC	DART AEROSPACE USA, INC. KENT, WA DRAWING NO. D4410 TITLE CO-PILOT COLLECTIVE HEAD <small>COPYRIGHT © 2011 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PROPRIETARY AND CONFIDENTIAL. IT IS SUPPLIED BY THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON OR ENTITY WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	REV. B
DRAWN	BC		SHEET 4 OF 12
CHECKED	BC		SCALE
MFG. APPR	BC		NTS
APPROVED	BC		
DE APPR.	BC		
DATE	12.07.30		


91386



VIEW A-A
C5-4



DETAIL B
C4-4



VIEW C-C
D4-4



**D4410-1 CO-PILOT COLLECTIVE HEAD
DETAIL VIEWS**

RELEASED
2012-09-28

- NOTES:**
- 1) MATERIAL: N/A
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: N/A
 - 8) ENGRAVE "DAS" LOGO AS SHOWN 0.003 - 0.005 DP.

DESIGN	DL	DART AEROSPACE USA, INC.	
DRAWN	DL	KENT, WA	
CHECKED	DL	DRAWING NO.	REV. B
MFG. APPR.	DL	D4410	SHEET 5 OF 12
APPROVED	DL	TITLE	SCALE
DE APPR.	DL	CO-PILOT COLLECTIVE HEAD	NTS
DATE	12.07.30	<small>COPYRIGHT © 2011 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE USA, INC.</small>	

91386




D4410-3 FACE PLATE

NOTES:

- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET, 0.040 THK
 QQ-A-250/11 OR AMS-QQ-A-250/11
 OR AMS 4025 OR AMS 4027
 OR ASTM B209
 REF. DART SPEC. M6061T6S.040
- 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II OR IIB CLASS 2
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 0.04 lbs

DESIGN	DC	DART AEROSPACE USA, INC.	
DRAWN	DC	KENT, WA	
CHECKED	JS	DRAWING NO.	REV. B
MFG APPR.	JS	D4410	SHEET 6 OF 12
APPROVED	MD	TITLE	SCALE
DE APPR.	JS	CO-PILOT COLLECTIVE HEAD	NTS
DATE	12.07.30	COPYRIGHT © 2011 BY DART AEROSPACE USA, INC. <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED BY THE DRAWING OFFICE FOR THE USE OF THE CUSTOMER FOR INFORMATION ONLY. IT IS NOT TO BE USED FOR ANY PURPOSE OR CONSTRUCTION TO ANY OTHER PERSON WITHOUT THE PERMISSION OF DART AEROSPACE USA, INC.</small>	



D4410-5 FACE PLATE


NOTES:

- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET, 0.040 THK.
QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027
OR ASTM B209
REF. DART SPEC. M6061T6S.040
- 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II OR IIB CLASS 2
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 0.04 lbs

DESIGN	DC	DART AEROSPACE USA, INC.	
DRAWN	DC	KENT, WA	
CHECKED	DC	DRAWING NO.	REV. B
MFG. APPR.	DC	D4410	SHEET 7 OF 12
APPROVED	DC	TITLE	SCALE
DE APPR.	DC	CO-PILOT COLLECTIVE HEAD	NTS
DATE	12.07.30	COPYRIGHT © 2011 BY DART AEROSPACE USA, INC.	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.			

RELEASED
2012-09-28

91386





D4410-7 CONDUIT

RELEASE
2012-09-28
JMP


NOTES:

- 1) MATERIAL: 6061-T6 OR 6061-T62 ALUMINUM TUBING PER
WW-T-700/6 OR AMS 4080 OR AMS 4082
OR QQ-A-200/8 OR QQ-A-225/8
REF. DART SPEC. M6061T60.625W.050 /B
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 0.17 lbs


DESIGN	BC	DART AEROSPACE USA, INC.	
DRAWN	BC	KENT, WA	
CHECKED	BC	DRAWING NO.	REV. B
MFG APPR	BC	D4410	SHEET 8 OF 12
APPROVED	BC	TITLE	SCALE
DE APPR	BC	CO-PILOT COLLECTIVE HEAD	NTS
DATE	12.07.30	COPYRIGHT © 2011 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS UNCLASSIFIED AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	



D4410-9 TRIGGER



DETAIL E
D4-7





91386


NOTES:

- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET, 0.250 THK
QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027
OR ASTM B209
REF. DART SPEC. M6061T6S.250
- 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II OR IIB CLASS 2
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 0.01 lbs

DESIGN	DC	DART AEROSPACE USA, INC.	
DRAWN	DC	KENT, WA	
CHECKED	DC	DRAWING NO.	REV. B
MFG. APPR.	DC	D4410	SHEET 9 OF 12
APPROVED	DC	TITLE	SCALE
DE APPR.	DC	CO-PILOT COLLECTIVE HEAD	NTS
DATE	12.07.30	COPYRIGHT © 2011 BY DART AEROSPACE USA, INC.	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMBINATION THEREOF TO ANY OTHER PERSON OR ENTITY WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.			

RELEASED
R 2012-09-23




 **D4410-11 205 SHIM**

RELEASED
2012-09-23
JMD

NOTES:



- 1) MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM ROUND BAR
QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4180)
OR ASTM B211 OR ASTM B221
REF. DART SPEC. M6061T6R1.500
- 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II OR IIB CLASS 2
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 0.03 lbs

DESIGN	<i>DL</i>	DART AEROSPACE USA, INC.	
DRAWN	<i>DL</i>	KENT, WA	
CHECKED	<i>DL</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>DL</i>	D4410	SHEET 10 OF 12
APPROVED	<i>DL</i>	TITLE	SCALE
DE APPR.	<i>DL</i>	CO-PILOT COLLECTIVE HEAD	NTS
DATE	12.07.30	<small>COPYRIGHT © 2011 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	




91386

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637
TEL: 773-936-5000
FAX: 773-936-5001
WWW.CHICAGO.EDU



91386



D4410-13 212 SHIM



RELEASED
2012-09-28
LMP

NOTES:

- 1) MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM ROUND BAR
QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160)
OR ASTM B211 OR ASTM B221
REF. DART SPEC. M6061T6R1.500
- 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II OR IIB CLASS 2
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT 0.03 lbs

DESIGN	DC	DART AEROSPACE USA, INC.	
DRAWN	DC	KENT, WA	
CHECKED	DC	DRAWING NO.	REV. B
MFG. APPR.	DC	D4410	SHEET 11 OF 12
APPROVED	DC	TITLE	SCALE
DE APPR.	DC	CO-PILOT COLLECTIVE HEAD	NTS
DATE	12.07.30	<small>COPYRIGHT © 2011 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY MANNER WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

91386



D4410-15 REAR COVER

RELEASE
2012-09-28

- NOTES:**
- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET, 0.100 THK
QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027
OR ASTM B209
REF. DART SPEC. M6061T6S.100
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
 - 7) WEIGHT: 0.11 lbs

DESIGN	SC	DART AEROSPACE USA, INC.	
DRAWN	SC	KENT, WA	
CHECKED	SC	DRAWING NO. D4410	REV. B
MFG. APPR.	SC	SHEET 12 OF 12	
APPROVED	SC	TITLE	SCALE
DE APPR.	SC	CO-PILOT COLLECTIVE HEAD	NTS
DATE	12.07.30	<small>COPYRIGHT © 2011 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

